



22P2Q

21.5 inch (54.6 cm) LCD MONITOR

Looks, convenience, and performance in a 21.5" Full HD display with DisplayPort



3 SIDED
FRAMELESS



ADJUSTABLE
STAND



FHD



FLICKER FREE



IPS WIDE VIEW



LOW BLUE MODE



USB HUB



TILT



Full Ergonomics

Feel the comfort! AOC's height, tilt and swivel-adjustable stands help you find the most comfortable and healthy position.



Frameless

Besides looking modern and attractive, frameless designs enable seamless multi-monitor setups. Your cursor/windows will not be lost anymore in the dark abyss of bezels, when many displays are placed side by side.



Wide viewing angle

Wide Viewing Angle features display color accurately at viewing angles of up to 178°. This way, it does not matter where you choose to view it from, colors will be displayed perfectly.



Pivot

Thanks to its pivot function, your monitor can be rotated by 180° from landscape into portrait mode, especially useful for desktop publishing.



TÜV Rheinland - Certified eye comfort

At AOC we focus on eye protection and eye comfort, to reduce negative symptoms such as eye strain, headaches and blurred vision. That's the reason why we cooperate with the national certification body (NCB) [TÜV Rheinland](#), which acts both as a third-party testing and an eye comfort certification, in an impartial and independent way.

This certification answers safety and quality standards demands by users, who are now so sure they have chosen the best product for their workstations.



Three-Year Warranty

AOC stands behind the quality of each and every monitor with a generous three-year warranty starting from the original date of purchase. Within the warranty period, any AOC displays with manufacturing defects or faulty components will be repaired or replaced at no additional charge. Read the complete AOC warranty statement for more information.

| General | |
|---------------------|---------------------------|
| Model name | 22P2Q |
| EAN | 4038986127288 |
| Product Line | Pro-line |
| Series | P2 |
| Channel | B2B |
| Classification | Hero |
| Section | Business |
| Launch date | 2020-06-14T22:00:00+00:00 |
| Continent | Europe |
| Product status (EU) | Active |

| Screen | |
|-----------------------------------|---|
| Resolution | 1920x1080 |
| Refresh rate | 75Hz |
| Screen size (inch) | 21.5 inch |
| Screen size (cm) | 54.6 cm |
| Flat / Curved | Flat |
| Backlight | WLED |
| Panel Type | IPS |
| Aspect ratio | 16:9 |
| Display Colours | 16.7 Million |
| Panel Colour in Bits | 8 |
| sRGB Coverage (%) (CIE 1931) | 102 |
| Adobe RGB Coverage (%) (CIE 1931) | 76 |
| NTSC coverage (%) (CIE 1931) | 72 % |
| Active Screen Area (HxW) | 476.064 (H) X 267.786(V) mm mm |
| Pixel Pitch | 0.24795 |
| Pixels per Inch | 102 |
| Scanning Frequency | VGA/DVI/HDMI1.4 : 30 -85KHz (H) VGA/DVI/HDMI1.4 : 48 -75 Hz (V) |
| Response time (GtG) | 4 ms |
| Contrast (static) | 1000:1 |
| Contrast (dynamic) | 50M:1 |
| Brightness (typical) | 250 cd/m² |
| Viewing angle (CR10) | 178/178 ° |
| Hard Glass | Antiglare + 3H |
| OSD languages | EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP |

| Exterior | |
|-----------------|-----------|
| Monitor colour | Black |
| Bezel Type | Frameless |
| Removable Stand | ✓ |

| Ergonomics | |
|----------------------|----------|
| Vesa Wallmount | 100x100 |
| Tilt | -5~35° ° |
| Swivel | 180 ° |
| Pivot | ✓ |
| Height Adjust Amount | 150mm |

| Connectivity and Multimedia | |
|-----------------------------|---|
| Signal Input | HDMI 1.4 x 1, DisplayPort 1.2 x 1, VGA, DVI |
| USB input | USB 3.2 (Gen1) x 4 |
| USB Hub | ✓ |
| USB out ports | 4 |
| USB fast charge | ✓ |

| Multimedia | |
|-------------------|-----------------------|
| Audio Input | Line in |
| Built-in Speakers | 2 W x 2 |
| Audio output | Headphone out (3,5mm) |

| Features | |
|-----------------------|----------------|
| Sync Technology | AdaptiveSync |
| Flicker-free | ✓ |
| Blue Light Technology | Low blue light |
| Kensington Lock | ✓ |

| Sustainability | |
|--------------------------------|------|
| HF | ✓ |
| PVC/BFR free housing | ✓ |
| Mercury Free | ✓ |
| Recyclable packaging material | 100% |
| Post-consumer recycled plastic | 85% |

| Power / Environmental | |
|---|--------------------|
| Powersupply | Internal |
| Powersource | 100 - 240V 50/60Hz |
| Power Consumption On (Energystar test method) | 17 watt |
| Power Consumption Standby | 0.3 watt |
| Power Consumption Off | 0.3 watt |
| EnergyClass | E |

| Approbations / Regulations | |
|------------------------------|---|
| Listed on Energystar Website | ✓ |
| TCO | 8 |
| TUV-GS | ✓ |
| CE | ✓ |
| FCC | ✓ |
| ISO 9241-307 class I | ✓ |
| Rohs compliant | ✓ |
| Reach compliant | ✓ |

| Warranty | |
|-----------------|---------|
| Warranty Period | 3 Years |

| Dimensions / Weights | |
|---|---|
| Product height (mm) | 476.3 |
| Product width (mm) | 488.5 |
| Product depth (mm) | 200.1 |
| Product dimensions incl base (WxHxD) mm | 488,5(W) * (326.3~476) (H) *200.1(D) |
| Product dimensions excl base (WxHxD) mm | 488,5(W)* 296,1(H) * 50(D) |
| Packaging Dimensions (WxHxD) mm | 559(L)x137(W)x520(H) mm |
| Product Dimensions (incl base) (WxHxD) mm | 488,5(W) * (326.3~476) (H) *200.1(D) mm |
| Gross Weight (including package) | 5.83 Kg |
| Net Weight (excluding package) | 4.16 Kg |

| What's in the Box? | |
|--------------------|-------|
| VGA cable | 1,8 m |
| HDMI cable | 1,8 m |
| Displayport Cable | 1,8 m |
| Audio Cable | 1,5 m |
| Power Cable C13 | 1,8 m |